


4' Tall 1" Spaced 6" Wide Picket Dog Eared

Lincoln


installed 0"-2" off ground

98" (POST CENTERS)




PVC
4' Tall 2" Spaced 3" Picket Dog Eared

Madison




PVC
4' Tall 2" Spaced 3" Picket Spade

Franklin




PVC
4' Tall 50/50 1.5" Spaced 1 3/8" Picket

Hamilton




PVC
4' Tall 2" Spaced 6" Wide Picket

Washington



Middleton

4' Tall Solid Prairie Style



2" Galvanized Round Steel Schedule 40 Commercial Grade Posts Pneumatically Driven.


Custom Package



PVC


4' Tall 50/50 1.5" Spaced 1 3/8" Picket

Henry




PVC
5' Tall 3 Rail 2" Spaced 3" Picket

John Adams




PVC
5' Tall 3 Rail 1.5" Spaced 1-3/8" Picket

Samuel Adams



**5' Tall 3 rail 1.5" Spaced 1-3/8" Picket
w/ ladder lattice on top**


Mason



2" Galvanized Round Steel Schedule 40 Commercial Grade Posts Pneumatically Driven.

Custom Package

Aluminum Bottom Rail Insert inside channel of bottom Rail to prevent sag over time.



POST:
5" x 5" x 73-1/2" Routed Post
5" x 5" Post Cap


RAIL:
2" x 3-1/2" x 95-3/4"
Top, Middle & Bottom Metal Bottom Rail Insert

PICKET:
31 - 1-3/8" x 1-3/8" x 45-3/4"
Square Ladder Lattice 12" x 92-3/4"



PVC
 5' Tall 3 rail 1.5" Spaced 1-3/8" Picket
 w/ diagonal lattice on top

Marshall



Abigail

